



HY-LAND

COMMERCIAL PLAYGROUNDS

Recreation Hospitality Education Sports Retail




www.hy-land.eu

2013



COMMERCIAL PLAYGROUNDS

THAT'S WHY!



RECREATION



Camping site Holiday park Waterpark Theme park Country club



HOSPITALITY



Bed & Breakfast Bistro Cafeteria Lunchroom Hotel Restaurant Pub

EDUCATION



Project 2



Swing Module



Daycare centre School Nursery Creche Child care

SPORTS



Football club Tennis court Beach club Baseball field Club house



RETAIL



Swing



Showroom Store Shopping centre Car dealer Supermarket












Project 2










INDEX




Project	1	2	3	4	5	6	7	8
	 4,0 m 1,5 m	 1,6 m 5,4 m	 1,9 m 5,4 m	 1,9 m 5,4 m	 3,2 m 6,8 m	 3,3 m 6,8 m	 4,4 m 8,2 m	 4,7 m 8,2 m
Users (3-12 years)	4	4	5	6	6	8	10	12
Assembly 	4h	6h	7h	13h	11h	15h	18h	27h



Project	3s	4s	5s	6s	7s	8s
	 4,0 m 1,5 m	 3,0 m 7,8 m	 7,7 m 9,7 m	 7,8 m 9,7 m	 4,4 m 8,6 m	 9,2 m 11,1 m
Users (3-12 years)	7	8	8	10	12	14
Assembly 	11h	17h	15h	19h	22h	31h

Swing		 4,5 m
Users (3-12 years)	2	
Assembly 	4h	




Anchor Set Uni



HY•LAND

www.hy-land.eu



Technical specifications

Project	Kit			Hy-Slide	Timber*	Playground area**	Anchor Set non-paved construction site***	Concrete
	A	B	C					
1	1	-	1	1	0,35 m ³	44 m ²	2 sets	90 liter (≈175 kg)
2	-	1	1	1	0,42 m ³	44 m ²	2 sets	90 liter (≈175 kg)
3	1	1	1	1	0,63 m ³	56 m ²	3 sets	120 liter (≈230 kg)
4	1	2	1	1	0,95 m ³	63 m ²	4 sets	150 liter (≈290 kg)
5	2	1	1	1	0,87 m ³	67 m ²	4 sets	150 liter (≈290 kg)
6	2	2	1	1	1,17 m ³	77 m ²	5 sets	180 liter (≈345 kg)
7	3	2	1	1	1,40 m ³	94 m ²	6 sets	210 liter (≈400 kg)
8	3	3	1	1	1,70 m ³	94 m ²	7 sets	240 liter (≈460 kg)
Swing	1	-	-	-	0,20 m ³	36 m ²	2 sets	520 liter (≈1000 kg)
Swing Module	1	-	-	-	0,16 m ³	40 m ²	1 set	260 liter (≈500 kg)

* Timber list can be found in Kit C

** Shock-absorbing properties of playground area surface should comply with EN-1176 (e.g. rubber, mulch, sand, grass, gravel rated for a fall height ≥ 1.5 m)

*** For paved construction sites additional anchoring hardware is required: e.g. chemical anchors, expanding plugs/bolts

Dealer



Specifications are subject to change without notice. Subject to alterations and printing errors. Product may differ from the pictures. Availability of Hy-land products may vary between countries and distributors. © 2013 Hy-land B.V. Amsterdam

Hy-land B.V.
P.O. Box 75083
NL 1070 AB Amsterdam
The Netherlands
info@hy-land.eu
www.hy-land.eu
Chamber of Commerce
Amsterdam
NL 16.078.319

10_559_0021_004_27_0301

18/02/13